

PULL HANDEL SERIES

04

DOOR HARDWARE



Locations

SM
San Marino

sanmarino

Barwa Village-Shop 37, Building 8, Doha-Qatar



Al Qusais Ind3, Store No.10, Dubai, U.A.E




Novella 1804 15 Stanley Street Salford Postcode M3 5GW Manchester England



sanmarinoqatar.com

BP18093.DAB/EG/PVD



BP18091.DAB/EG/PVD



BP18095.DAB/EG/PVD



BP18097.EG/DAB/PVD



PH.Z.165.COF



PH.Z.174.DAB



PH.Z.203.DAB



PH.Z.334.DAB



PH.Z.201.DAB



PH.Z.202.PVD



ZPH.171201-N.DAB



ZPH.171202-N.DAB



ZPH.17033.DAB



ZPH.17035.DAB



ZPH.181101.COF



ZPH.181102.PVD



ZPH.17309.DAB



ZPH.17502.MSN



ZPH.201122.PVD



ZPH.201123.DAB



ZPH.201124.MSN




ZPH.201125.MSN



ZPH.201126.PVD




ZPH.2308111.MSN



C	96	128	160	192	224	256
H	35	35	35	35	35	35

SC-801 SS


Material: Stainless steel
Diameter: $\Phi 10$ mm/ $\Phi 12$ mm
Finishes: Sanding/Mirror polish



C	64	96	128	160	192	224	256	288
H	35	35	35	35	35	35	35	35
L	100	150	200	250	300	350	400	450

SC-802 SS


Material: Stainless steel
Diameter: $\Phi 10$ mm/ $\Phi 12$ mm/ $\Phi 14$ mm
Finishes: Sanding/Mirror polish



C	96	128	160	192	224	256
H	35	35	35	35	35	35



SC-803 SS

Material: Stainless steel
Diameter: $\Phi 8$ mm/ $\Phi 10$ mm/ $\Phi 12$ mm
Finishes: Sanding/Mirror polish





SC-502 SS

Size:
A:600 800 1000 1200
B:400 600 800 1000
C:Φ25 Φ32 Φ38
Finish:SS,PSS
Material:Stainless steel
Can be used for glass doors





SC-601 SS

Size:
A:600 800 1000 1200
B:560 760 1000 1160
C:25x40
Finish:SS,PSS
Material:Stainless steel
Can be used for glass doors




SC-602 BLK

Size:
A:800 1000 1200
B:775 975 1175
C:25x38
Finish:SS,PSS
Material:Stainless steel
Can be used for glass doors



SC-603 SS


Size:
A:600 800 1000 1200
B:560 760 1000 1160
C:25x40
Finish:SS,PSS
Material:Stainless steel
Can be used for glass doors







SC-703 PSS

Size:
A: 450 450
B: 418 425
C: $\Phi 25$ $\Phi 32$
Finish: SS, PSS
Material: Stainless steel
Can be used for glass doors



SC-704 PSS


Size:
A: 250x450
B: 225x425
C: $\Phi 25$
Finish: SS, PSS
Material: Stainless steel
Can be used for glass doors



SC-101.225x22.SS

Material:
Stainless Steel
Finishing:
SS/PSS/DAB/PVD


A	19	19	19	19	22	22	22
B	150	225	300	400	225	300	400



SC-103.225x19.SS


Material:
Stainless Steel
Finishing:
SS/PSS/DAB/PVD

A	19	19	19	19	22	22	22
B	150	225	300	400	225	300	400




SB-301 SS

Finishing: SS/PSS/DAB/PVD
Material: Stainless Steel




SB-302 SS

Finishing: SS/PSS/DAB/PVD
Material: Stainless Steel



SC-610 SS

Size:
A: 600 800 1000 1200
B: 400 600 800 1000
C: $\Phi 25$ $\Phi 32$ $\Phi 38$
Finish: SS, PSS
Material: Stainless steel
Can be used for glass doors




SC-707 SS

Size:
A: 300 600
B: 275 562
C: $\Phi 25$ $\Phi 32$
Finish: SS, PSS
Material: Stainless steel
Can be used for glass doors




SC-708 PSS

Size:
A: 450 800
B: 425 468
C: $\Phi 25$ $\Phi 32$
Finish: SS, PSS
Material: Stainless steel
Can be used for glass doors




SC-701 SS/PSS

Size:
A: 300 500
B: 275 468
C: $\Phi 25$ $\Phi 32$
Finish: SS, PSS
Material: Stainless steel
Can be used for glass doors



SC-702 PSS

Size:
A: 400 600
B: 240 440
C: $\Phi 25$ $\Phi 32$
Finish: SS, PSS
Material: Stainless steel
Can be used for glass doors






PH.100.300x100.SS



Material: Stainless Steel
Finishing: SS/PSS/DAB/PVD

A	19	19	22	22
B	150	200	150	200




PP.200.300x100.SS

Material:
Stainless Steel
Finishing:
SS/PSS/DAB/PVD




PP.201.300x100.SS

Material:
Stainless Steel
Finishing:
SS/PSS/DAB/PVD



PP.202.300x100.SS

Material:
Stainless Steel
Finishing:
SS/PSS/DAB/PVD



SRH.301.SS



SRH.301.BLK



SRH.01.SS



SRH.02.SS



SRH.301.RG



SRH.301.SPVD



SRH.03.SS



SRH.04.SS



SRH.310.SS



SRH.312.SS



SRH.05.SS



SRH.06.SS



SRH.314.SS



SRH.240.SS.HO



SRH.07.SS



SRH.08.SS



SRH.09.SS



SRH.11.SS



SRH.22.SS.F



SRH.23.SS



SRH.13.SS



SRH.14.SS



SRH.24.SS.F



SRH.50.SS



SRH.15.SS




SRH.16.SS.F



SRH.241.SS.HO




SRH.OV.01.SS



SRH.17.SS.F




SRH.18.SS.F



SRH.OV.03.SS



SRH.OV.10.SS



SRH.201.SS



SRH.207.SS



SRH.216.SS



SRH.217.SS



SRH.208.SS



SRH.210.SS




SRH.219.SS



SRH.220.SS



SRH.211.SS



SRH.212.SS



SRH.221.SS



SRH.223.SS



SRH.213.SS



SRH.214.SS



SRH.230.SS



SRH.236.SS



SRH.237.SS



SRH.238.SS



SRH.257.SS




SRH.258.SS.F




SRH.239.SS



SRH.240.SS



SRH.260.SS.F



SRH.261.SS




SRH.241.SS



SRH.243.SS



SRH.311.SS.F



SRH.313.SS



SRH.248.SS



SRH.249.SS




SRH.322.SS



SRH.323.SS.F




SW-01 SS




SW-02 SS




SW-03 SS




SW-04 SS




ES.SN01.SS




ES.SN02.SS




ES.SN01.NH.SS



ES.SN04.SS





ES.SN05.SS
(Precision Casting Rings)




ES.SN03.SS

Specifications and Features


- MINIMUM DOOR THICKNESS 30MM
- GRADE 304 STAINLESS STEEL
- APPLICATION : BATHROOM DOORS
10 YEARS REPLACEABLE WARRANTY
WOODEN STEEL FIRE RATED DOORS DOORS




SE-100 SS




SE-101 SS



SE-102 SS



SE-103 SS




SRH.SE102.BLK.F



Specification

- Material : Stainless Steel 201/ 304 / 316
- Diameter : $\Phi 16/\Phi 19/\Phi 20/\Phi 22$ mm
- Spindle : 8x8/17x7/16x6mm
- Finish: SSS, PSS, PVD, AB, AC
- For 35-55 mm thickness doors
- Concealed fixings
- Spring assisted chassis
- Same lever design with multiple escutcheons and functions to suit different applications



Specification


- Backset: 2-3/8" or 2-3/4" (60mm or 70mm)
- Door thickness: from 1-3/8" to 2" (35mm - 50mm)
- Cylinder: 5-pin cylinder, Kwikset and Yale keyway are available
- Face plate: 1"x2-1/4" (25mmx57mm) square corner standard Round corner optional
- Strike plate: 1"x2-1/4" (25mmx57mm) full lip square corner standard
- Door opening direction: Fit for both right and left hand door



691 AD SS-L




691 AD BLK-L







SC-900 SS
Finish:SS
Material:Stainless steel



SC-902 SS
Finish:SS
Material:Stainless steel



SC-903 SS
Finish:SS
Material:Stainless steel



SC-904 SS
Finish:SS
Material:Stainless steel




PP.301.SS.76MM.MALE



PP.301.SS.76MM.FEMALE




PP.301.SS.76MM.WC



Note:

Size and pattern can be produced accordingly
Pattern: silk-screen & erosion are optional
Mounting options: visible fixing with screws;
Invisible fixing with double adhesive tape



HP.SB100C.SS
Material:
Stainless Steel
Finishing:
SS/PSS/DAB/PVD